

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|-------------|-------------|----------|-------------|--|---------|---------|--------|--------|---------|--------|---------|
| 1 | 300-1047 | | | | Power Supply,925W,Zytec 22903110/Check Capacitor liquid leak | 3/470 | 4/370 | 4/470 | | AS4670 | | |
| 2 | 300-1055 | | | | Power Supply,65W,w/DC Harness | SS IPX | 4/50 | | | AS4050 | | |
| 3 | 300-1065 | | | | Power Supply,1200W | SS690MP | | | | AS4690 | | |
| 4 | 300-1072 | | | | Power Supply,520W,Improved -12VDC output | SS630MP | | | | AS4630 | | |
| 5 | 300-1081 | | | | Power Supply,140W | SS10 | | | | AS4080 | | |
| 6 | 300-1081 | | | Sony APS-39 | Power Supply,140W,APS-39 | SS10 | SS10SX | | | AS4080 | | |
| 7 | 300-1089 | | | | Power Supply,925W,Zytec 22903110/Check Capacitor liquid leak | 3/470 | 4/370 | 4/470 | | AS4670 | | |
| 8 | 300-1089 | | | | Power Supply,925W,Zytec 22903110/Check Capacitor liquid leak | SS670MP | | | | | AS4670 | |
| 9 | 300-1101 | | | | Power Supply,70W | SSLX/ZX | 4/30 | | | AS4030 | | |
| 10 | 300-1212-03 | | | | Power Supply,60W, w/Pull Ring | Voyager | | | | SPARCLT | | |
| 11 | 300-1212-xx | | | | Power supply,60W | Voyager | | | | SPARCLT | | |
| 12 | 300-1255 | 300-1081-04 | | | Power Supply,140W | SS10 | | | | AS4080 | | |
| 13 | 300-1255 | 300-1081-04 | | Sony APS-39 | Power Supply,140W,APS-39 | SS10 | SS10SX | | | AS4080 | | |
| 14 | 300-1257 | | | | Power Supply,50W | SS4 | | | AS4035 | | AS4017 | |
| 15 | 300-1257 | | | | Power Supply,50W | Xterm1 | | | | | | |
| 16 | 300-1263 | | | | Power Sequencer,230VAC | SS600MP | | | | AS4690 | | |
| 17 | 300-1264 | | | | Power Sequencer,240VAC | SS600MP | | | | AS4690 | | |
| 18 | 300-1279 | | 300-1215 | | Power Supply,150W | SS20 | | | | AS4085 | | |
| 19 | 300-1279 | | | | Power Supply,150W | SS4 | SS5 | | AS4035 | | AS4017 | |
| 20 | 300-1343 | | | | Power Supply | Ultra60 | | | | | | |
| 21 | 330-1228 | | | | Bracket,Hard Disk Drive mounting | SS1 | SS1+ | 4/65 | AS4060 | AS4065 | | |
| 22 | 330-1343 | | | | Bracket,Hard Disk Drive mounting | SS2 | 4/75 | | | AS4075 | | |
| 23 | 330-1390 | | | | Grommet,Drive Mounting#6-32 | SS10 | | | | AS4080 | | |
| 24 | 330-1717 | | | | Grommet,Hard Disk drive Mounting,2 require | SS10 | | | | AS4080 | | |
| 25 | 330-1836 | | | | Tool,FAN installation | SS20 | | | | AS4085 | | |
| 26 | 330-1951 | | | | Bracket,HDD w/faceplate.screws | Ultra 1 | Ultra 2 | | | | | |
| 27 | 340-2594 | | | | Bracket,Peripheral Mounting | SSLX/ZX | 4/30 | | | AS4030 | | |
| 28 | 340-2939 | | | | Bracket,Hard Disk Drive Mounting | SS10 | | | | AS4080 | | |
| 29 | 360 | | | | Monitor,17" color ,w/ 1 MB TGX Frame Buff PN 501-2922,501-2325 | | | | | | | X322A |
| 30 | 360 | | | | Monitor,16" color ,midrange | | | | | | | X250A |
| 31 | 360 | | | | Monitor,20" color | SS5 | AS4035 | | | | | X267A |
| 32 | 360 | | | | Monitor,17" color | SS5 | AS4035 | | | | | X268A |
| 33 | 360 | | | | Monitor,17" color ,w/ S24 frame buffer PN 501-2337 | SS5 | AS4035 | | | | | X 323 A |
| 34 | 360 | | | | Monitor,20" color ,w/ S24 frame buffer PN 501-2337 | SS5 | AS4035 | | | | | X324A |
| 35 | 360 | | | | Monitor,20" color ,w/ 4 MB SX frame buffer PN 501-2481 | | | | | | | X325A |
| 36 | 360 | | | | Monitor,20" color ,w/ 8 MB SX frame buffer PN 501-2481 | | | | | | | X326A |
| 37 | 360 | | | | Monitor,17" color , option | | | | | | | X327A |
| 38 | 360 | | | | Monitor,19" color ,w/ GX frame buffer | | | | | | | X331K |
| 39 | 360 | | | | Monitor,16" color ,w/ CG3 frame buffer | | | | | | | X342W |
| 40 | 360 | | | | Monitor,19" color ,w/ CG3 frame buffer | | | | | | | X344A |
| 41 | 360 | | | | Monitor,20" color ,w/ 4 MB SX frame buffer PN 501-2306 | | | | | | | X345A |
| 42 | 360 | | | | Monitor,20" color ,w/ 4 MB SX frame buffer PN 501-2342 | | | | | | | X326A |
| 43 | 360 | | | | Monitor,19" color ,w/ GX frame buffer | | | | | | | X354A |
| 44 | 360 | | | | Monitor,19" color ,w/ GX frame buffer | | | | | | | X355A |
| 45 | 360 | | | | Monitor,16" color ,w/ GX frame buffer | | | | | | | X356A |
| 46 | 360 | | | | Monitor,19" color ,w/ GX frame buffer | | | | | | | X357A |
| 47 | 360 | | | | Monitor,20" color ,option, 501-2922, 501-2325 | | | | | | | X359A |
| 48 | 360 | | | | Monitor,15" color ,w/ TGX frame buffer | | | | | | | X361A |
| 49 | 360 | | | | Monitor,16" color ,midrange | | | | | | | X362A |
| 50 | 360 | | | | Monitor,16" color ,w/ 1 MB TGX frame buffer | | | | | | | X363A |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|----------|----------|--------|----------------------|--|--------|--------|--------|--------|--------|--------|---------|
| 51 | 360 | | | | Monitor,20" color ,w/ creator graphics PN 501-4127, 501-2634 | | | | | | | X3651A |
| 52 | 360 | | | | Monitot,20" color ,w/3D creator card 501-4126,501-2633,501- | | | | | | | X3652A |
| 53 | 360 | | | | Monitor,19" color ,w/ GX+ frame buffer | | | | | | | X366A |
| 54 | 360 | | | | Monitor,20" color ,option PN 501-2955, 501-2253 | | | | | | | X367A |
| 55 | 360 | | | | Monitor,17" color ,entry | | | | | | | X7101A |
| 56 | 360 | | | | Monitor,17" color ,entry | | | | | | | X7102A |
| 57 | 360 | | | | Monitor,17" color ,entry | | | | | | | X325A |
| 58 | 360 | | | | Monitor,17" color ,entry | | | | | | | X7104A |
| 59 | 360 | | | | Monitor,17" E.L color ,w/ 1 MB TGX frame buffer | | | | | | | X7109A |
| 60 | 360 | | | | Monitor,17" color ,entry,w/ TGX and cable | | | | | | | X7111A |
| 61 | 360 | | | | Monitor,14" color | | | | | | | X7114A |
| 62 | 360 | | | | Monitor,19" color | | | | | | | X7119A |
| 63 | 360 | | | | Monitor,21" color | | | | | | | X7121A |
| 64 | 360 | | | | Monitor,24" wide screen color | | | | | | | X7124A |
| 65 | 360 | | | | Monitor,18.1" TFT LCD color | | | | | | | X7127A |
| 66 | 360 | | | | Monitor,17" color ,w/ PGX graphics PN 370-2256 | | | | | | | X7128A |
| 67 | 360 | | | | Monitor,20" color , 501-4174 | | | | | | | X7131A |
| 68 | 360 | | | | Monitor,20" color , 501-4172 | | | | | | | X7133A |
| 69 | 360 | | | | Monitor,19" FD AG color | | | | | | | X7135A |
| 70 | 360 | | | | Monitor,21" FD AG color | | | | | | | X7136A |
| 71 | 360 | | | | Monitor,20" color , 370-2256 | | | | | | | X7138A |
| 72 | 360 | | | | Monitor,24" wide screen color , 501-4173 | | | | | | | X7140A |
| 73 | 360 | | | | Monitor,24" wide screen color , 501-4172 | | | | | | | X7141A |
| 74 | 360 | | | | Monitor,17" entry color | | | | | | | X7143A |
| 75 | 360 | | | | Monitor,24" wide screen color , 370-2256 | | | | | | | X7148A |
| 76 | 360-1000 | | | | Monitor,19" color | | | | | | | |
| 77 | 360-1002 | | | | Monitor,19" color | | | | | | | |
| 78 | 360-1008 | | | | Monitor,19" color | | | | | | | |
| 79 | 360-1010 | | | | Monitor,19" monochrome , 115V | | | | | | | |
| 80 | 360-1012 | | | | Monitor,19" greyscale | | | | | | | |
| 81 | 360-1013 | | | | Monitor,19" monochrome | | | | | | | |
| 82 | 360-1014 | | | | Monitor,19" hi-res mono , 115V | | | | | | | |
| 83 | 360-1015 | | | Hitachi HM4115 | Monitor,15" color , 1152 x 900, 4 BNC, 115V | | | | | | | |
| 84 | 360-1020 | | | | Monitor,15" color , 240V | | | | | | | |
| 85 | 360-1021 | | | | Monitor,19" greyscale | | | | | | | |
| 86 | 360-1023 | | | | Monitor,19" monochrome | | | | | | | |
| 87 | 360-1026 | | | | Monitor,15" monochrome , 115V | | | | | | | |
| 88 | 360-1027 | | | | Monitor,15" monochrome | | | | | | | |
| 89 | 360-1033 | | | Seiko CM1421 | Monitor,14" color , 1024 x 768, 4BNC, 115V | | | | | | | |
| 90 | 360-1034 | | | | Monitor,14" color , 240V | | | | | | | |
| 91 | 360-1035 | | | | Monitor,14" color , 115V | | | | | | | |
| 92 | 360-1036 | | | | Monitor,14" color , 240V | | | | | | | |
| 93 | 360-1038 | | | | Monitor,15" monochrome , 240V | | | | | | | |
| 94 | 365-1000 | | | Hitachi HM4119SA | Monitor,19"/20" color , 1152 x 900, 4BNC, 115V | | | | | | | |
| 95 | 365-1003 | | | | Monitor,19" High-Resolution , 240V | | | | | | | |
| 96 | 365-1004 | | | | Monitor,19" High-Resolution , 115V | | | | | | | |
| 97 | 365-1005 | | | Displaytek L7201SY01 | Monitor,19" High-Resolution ,mono , 1600 x 1280, D9, 115V | | | | | | | |
| 98 | 365-1006 | | | | Monitor,19" color , 4 BNC, 240V, Hitachi | | | | | | | |
| 99 | 365-1007 | | | Motorola | Monitor,19" High-Resolution mono , 1600 x 1280, D9, 240V | | | | | | | |
| 100 | 365-1008 | | | | Monitor,19" greyscale , 240V | | | | | | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|----------|----------|--------|----------------------|--|--------|--------|--------|--------|--------|--------|---------|
| 101 | 365-1009 | | | | Monitor,19" grayscale , 2 BNC, Philips | | | | | | | |
| 102 | 365-1010 | | | Philips | Monitor,19" grayscale , 1152 x 900, 2 BNC, 115V | | | | | | | |
| 103 | 365-1011 | | | Philips | Monitor,19" mono , 240VAC, D9, 240V | | | | | | | |
| 104 | 365-1013 | | | Philips | Monitor,19" mono , D9, 115V | | | | | | | |
| 105 | 365-1014 | | | Philips | Monitor,19" mono , 240VAC, D9, 240V | | | | | | | |
| 106 | 365-1016 | | | Elston DM19A0 | Monitor,19" mono , 1152 x 900, D9, 115V | | | | | | | |
| 107 | 365-1020 | | | Sony Trinitron | Monitor,16" color , 4 BNC? 13W3?, 115V | | | | | | | |
| 108 | 365-1021 | | | | Monitor,19" mono | | | | | | | |
| 109 | 365-1022 | | | Sony | Monitor,16" color , 4 BNC, 240V | | | | | | | |
| 110 | 365-1033 | | | Sony Trinitron | Monitor,19" color | | | | | | | |
| 111 | 365-1037 | | | | Monitor,19" mono , 1152 x 900 | | | | | | | |
| 112 | 365-1038 | | | Sony GDM-1604 | Monitor,19" color , 1152 x 900, 4 BNC, 115V | | | | | | | |
| 113 | 365-1039 | | | Sony | Monitor,19" color , 240VAC, 4BNC, 240V | | | | | | | |
| 114 | 365-1043 | | | | Monitor,19" monochrome , 240V | | | | | | | |
| 115 | 365-1044 | | | Philips | Monitor,19" mono, D9, 115V | | | | | | | |
| 116 | 365-1045 | | | Philips | Monitor,19" mono, D9, 240V | | | | | | | |
| 117 | 365-1046 | | | | Monitor,19" greyscale , 240V | | | | | | | |
| 118 | 365-1047 | | | Motorola L7201SY01 | Monitor,19" mono , 1600 x 1280, D9, 115V | | | | | | | |
| 119 | 365-1048 | | | | Monitor,19" High-Resolution, 115V | | | | | | | |
| 120 | 365-1049 | | | | Monitor,19" High-Resolution , 240V | | | | | | | |
| 121 | 365-1050 | | | | Monitor,19" High-Resolution , 240V | | | | | | | |
| 122 | 365-1051 | | | Philips | Monitor,19" mono , 1152 x 900, D9, 115/240V | | | | | | | |
| 123 | 365-1052 | | | | Monitor,19" greyscale , 240V | | | | | | | |
| 124 | 365-1053 | | | Philips | Monitor,19" greyscale , 115V, 2 BNC | | | | | | | |
| 125 | 365-1054 | | | Hitachi | Monitor,19" color , 4 BNC, 240V | | | | | | | |
| 126 | 365-1055 | | | Zenith | Monitor,17" grayscale , 13W3, 90/240V | | | | | | | |
| 127 | 365-1056 | | | Hitachi | Monitor,19" color , 4 BNC, 115V | | | | | | | |
| 128 | 365-1063 | | | Sony Tri GDM-1604B | Monitor,16" color , 13W3, 1024 x 768, 115V | | | | | | | |
| 129 | 365-1064 | | | | Monitor,16" color , 240V | | | | | | | |
| 130 | 365-1065 | | | Sony Tri GDM-1955A15 | Monitor,19" color , 1152 x 900, 13W3, 115V, | | | | | | | |
| 131 | 365-1066 | | | Sony Tri GDM-1955A40 | Monitor,19" color , 1152 x 900, 13W3, 240V | | | | | | | |
| 132 | 365-1068 | | | | Monitor,21" color , 115/240V | | | | | | | |
| 133 | 365-1071 | | | Philips | Monitor,19" grayscale , 1152 x 900, 13W3, 115/240V | | | | | | | |
| 134 | 365-1073 | | | | Monitor,19" color , 115/240V | | | | | | | |
| 135 | 365-1079 | | | Sony Trinitron | Monitor,16" color , 13W3, 115V | | | | | | | |
| 136 | 365-1080 | | | Sony Tri GDM-1604A40 | Monitor,16" color , 1024 x 768, 13W3, 240V | | | | | | | |
| 137 | 365-1081 | | | Sony Trinitron | Monitor,19" color , 13W3, 115V | | | | | | | |
| 138 | 365-1082 | | | Sony Trinitron | Monitor,19" color , 13W3, 240V | | | | | | | |
| 139 | 365-1086 | | | Philips | Monitor,19" mono , 1152 x 900, D9, 115/240V | | | | | | | |
| 140 | 365-1087 | | | Philips | Monitor,19" mono , 1152 x 900, D9, 115V | | | | | | | |
| 141 | 365-1092 | | | Sony Trinitron | Monitor,16" color , 13W3, 115V | | | | | | | |
| 142 | 365-1093 | | | Sony Tri GDM-1604B40 | Monitor,16" color , 13W3, 240V | | | | | | | |
| 143 | 365-1094 | | | Zenith | Monitor,17" grayscale , 13W3, 90/240V | | | | | | | |
| 144 | 365-1095 | | | Sony | Monitor,19" color , multisync, 13W3, 115/240V | | | | | | | |
| 145 | 365-1096 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 146 | 365-1099 | | | Hitachi/Philips | Monitor,19" grayscale , multisync, 13W3, 115/240V | | | | | | | |
| 147 | 365-1100 | | | | Monitor,17" grayscale , 152 x 900,115/240V | | | | | | | |
| 148 | 365-1106 | | | | Monitor,19" color , 115/240V | | | | | | | |
| 149 | 365-1107 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 150 | 365-1108 | | | | Monitor,19" greyscale , 115/240V | | | | | | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|----------|----------|--------|--------------------|---|--------|--------|--------|--------|--------|--------|---------|
| 151 | 365-1109 | | | | Monitor,17" greyscale , 119/240V | | | | | | | |
| 152 | 365-1110 | | | | Monitor,21" color , 115V/240V | | | | | | | |
| 153 | 365-1112 | | | Sony Trinitron | Monitor,19" color , multisync, 115/240V | | | | | | | |
| 154 | 365-1113 | | | Sony | Monitor,16" , multisync, 13W3, 115/240V | | | | | | | |
| 155 | 365-1123 | | | Motorola L7201SY01 | Monitor,19" mono , 1600 x 1280, D9, 115V | | | | | | | |
| 156 | 365-1128 | | | Motorola L7201SY01 | Monitor,19" mono , 1600 x 1280, D9 | | | | | | | |
| 157 | 365-1130 | | | Sony GDM-1662B | Monitor,16"/17" color , multisync, 13W3, 115/240V | | | | | | | |
| 158 | 365-1140 | | | Philips | Monitor,19" grayscale , multisync, 13W3, 115/240V | | | | | | | |
| 159 | 365-1143 | | | Philips C1764 | Monitor,16"/17" color , 1152 x 900, 13W3, 115V | | | | | | | |
| 160 | 365-1144 | | | | Monitor,19" mono High-Resolution , 115V | | | | | | | |
| 161 | 365-1145 | | | | Monitor,19" monochrome , 115V | | | | | | | |
| 162 | 365-1146 | | | | Monitor,16" color , 240V | | | | | | | |
| 163 | 365-1147 | | | | Monitor,16" color , 115V/240V | | | | | | | |
| 164 | 365-1148 | | | | Monitor,19" color , 115V/240V | | | | | | | |
| 165 | 365-1150 | | | | Monitor,16" color monitor | | | | | | | |
| 166 | 365-1151 | | | Sony | Monitor,16" 13W3 115/240V | | | | | | | |
| 167 | 365-1153 | | | | Monitor,19" color , 115/240V | | | | | | | |
| 168 | 365-1154 | | | | Monitor,19" grayscale , 76Hz vert, 115/240V | | | | | | | |
| 169 | 365-1157 | | | | Monitor,17" greyscale , 119/240V | | | | | | | |
| 170 | 365-1159 | | | Sony Tri GDM-1662B | Monitor,16"/17" color , 13W3, 115/240V | | | | | | | |
| 171 | 365-1160 | | | | Monitor,19" color, 76Hz vert, multiscan, 13W3, 115/240V | | | | | | | |
| 172 | 365-1161 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 173 | 365-1162 | | | | Monitor,19" color , 115/240V | | | | | | | |
| 174 | 365-1164 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 175 | 365-1165 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 176 | 365-1166 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 177 | 365-1167 | | | Sony GDM-20D10 | Monitor,20" flat-screen color , 115/240V | | | | | | | |
| 178 | 365-1168 | | | | Monitor,19"/20" grayscale , multiscan, 115/240V | | | | | | | |
| 179 | 365-1286 | | | | Monitor,15" color , 115/240V | | | | | | | |
| 180 | 365-1288 | | | | Monitor,19" color , 115/240V | | | | | | | |
| 181 | 365-1289 | | | | Monitor,16" color , 115/240V | | | | | | | |
| 182 | 365-1313 | | | | Monitor,20" color , 115/240V | | | | | | | |
| 183 | 365-1316 | | | | Monitor,17" color , 115/240V | | | | | | | |
| 184 | 365-1317 | | | | Monitor,20" color , 115/240V | | | | | | | |
| 185 | 365-1319 | | | | Monitor,17" color , 115/240V | | | | | | | |
| 186 | 365-1320 | | | | Monitor,20" greyscale , 115/240V | | | | | | | |
| 187 | 365-1321 | | | | Monitor,17" color , 115/240V | | | | | | | |
| 188 | 365-1322 | | | | Monitor,20" color , 115/240V | | | | | | | |
| 189 | 365-1324 | | | Sony GDM-20D10 | Monitor,20" color , flat-screen , 13W3, multiscan, 115/240V | | | | | | | |
| 190 | 365-1325 | | | | Monitor,20" color , 115/240V | | | | | | | |
| 191 | 365-1326 | | | | Monitor,20" color , 115/240V | | | | | | | |
| 192 | 365-1327 | | | | Monitor,15" color , 115/240V | | | | | | | |
| 193 | 365-1330 | | | | Monitor,20" color , 115/240V | | | | | | | |
| 194 | 365-1335 | | | | Monitor,20" color , w/13W3 cable, 115/240V | | | | | | | |
| 195 | 365-1337 | | | | Monitor,20" color , logoless monitor, w/12W3 cable,115/240V | | | | | | | |
| 196 | 365-1338 | | | | Monitor,17" color , 115/240V | | | | | | | |
| 197 | 365-1339 | | | | Monitor,17" color , logoless monitor, w/13W3, 115/240V | | | | | | | |
| 198 | 365-1340 | | | | Monitor,20" color , SOHEM, w/13w3 cable, 115/240V | | | | | | | |
| 199 | 365-1341 | | | | Monitor,17" color , SOHEM, w/13w3 CABLE, 115/240V | | | | | | | |
| 200 | 365-1342 | | | | Monitor,20" color , KOREAN, w/12w3 CABLE, 115/240V | | | | | | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|----------|----------|--------|------------------|--|---------|---------|---------|----------|--------|--------|---------|
| 201 | 365-1343 | | | | Monitor,17", entry level , 115/240V | | | | | | | |
| 202 | 365-1345 | | | | Monitor,17" ,lc entry , logoless, 115/240V | | | | | | | |
| 203 | 365-1350 | | | | Monitor,14" color , 115/240V | | | | | | | |
| 204 | 365-1351 | | | | Monitor,14" color , HD15 logoless, 115/240V | | | | | | | |
| 205 | 365-1352 | | | | Monitor,24" color, HDTV wide screen | | | | | | | |
| 206 | 365-1353 | | | | Monitor,24" color ,OEM w/o Sun logo | | | | | | | |
| 207 | 365-1354 | | | | Monitor,17" color , entry , 15 pin | | | | | | | |
| 208 | 365-1355 | | | | Monitor,17" color , 15 pin VGA logoless | | | | | | | |
| 209 | 365-1380 | | | | Monitor,19" color | | | | | | | |
| 210 | 365-1381 | | | | Monitor,19" color , logoless | | | | | | | |
| 211 | 365-1383 | | | | Monitor,21" color , 13W3, w/ cable | | | | | | | |
| 212 | 365-1384 | | | | Monitor,21" color | | | | | | | |
| 213 | 365-1386 | | | | Monitor,21" color , Soheim | | | | | | | |
| 214 | 370-0502 | | | Ciprico | Tape Controller,1/2",Ciprico Tapemaster Multibus | 3/ | | | | | | |
| 215 | 370-0552 | | | Emulex MD-21 | Disk Controller,SCSI,Emulex MD-21 | 3/ | | | | | | |
| 216 | 370-1010 | | | Adaptec ACB-4000 | Disk Controller,SCSI,Adaptec ACB-4000 | 3/ | | | | | | |
| 217 | 370-1011 | | | Sysgen SC4000 | Tape Controller,SCSI,Sysgen SC4000 | 3/ | | | | | | |
| 218 | 370-1012 | | | Xylogics 450 | Disk Controller,SMD,Xylogics 450 Multibus | 3/ | | | | | | |
| 219 | 370-1026 | | | Archive | Tape Controller,Archive stand Alone | 3/ | | | | | | |
| 220 | 370-1067 | | | Xylogics 472 | Tape Controller,1/2",Xylogics 472 Multibus | 3/ | | | | | | |
| 221 | 370-1081 | | | Emulex MT02 | Tape Controller,SCSI,Emulex MT02 | 3/ | | | | | | |
| 222 | 370-1082 | | | Xylogics 451 | Disk Controller,SMD,Xylogics 451 Multibus | 3/ | | | | | | |
| 223 | 370-1200 | | | Quantum 105S | Hard Disk Drive,104MB,105S | SS1 | SS1+ | 4/65 | AS4060 | AS4065 | | |
| 224 | 370-1205 | | | | Tape drive,150MB,QIC-150,Half Height | 3/470 | | | | AS4670 | | |
| 225 | 370-1205 | | | | Tape drive,QIC-150,Half-Height | SS670MP | | | | | AS4670 | |
| 226 | 370-1206 | | | | Tape drive,150MB,QIC-150,Full Height | 3/470 | | | | AS4670 | | |
| 227 | 370-1207 | | | | Floppy Disk drive 3.5",Dual Density | SS2 | 4/75 | SS1+ | | AS4075 | | |
| 228 | 370-1214 | | | | Fan,DC Assy w/Connector,150CFM | 3/470 | | | | AS4670 | | |
| 229 | 370-1214 | | | | Fan Assy,w/Connector,150CFM | SS670MP | | | | | AS4670 | |
| 230 | 370-1230 | | | CDC 77777126 | Hard Disk Drive,327MB,SCSI 50pin | 3/470 | | | | AS4670 | | |
| 231 | 370-1235 | | | Emulex MT02 | Tape Controller,SCSI,Emulex MT02 | 3/ | | | | | | |
| 232 | 370-1236 | | | Emulex MD-21 | Disk Controller,SCSI,Emulex MD-21 | 3/ | | | | | | |
| 233 | 370-1247 | | | | Tape Drive,w/MT02,45/60MB,QIC-11/24 | 3/470 | | | | AS4670 | | |
| 234 | 370-1297 | | | | Tape Drive,2.3GB,8mm,Full-Height | SS670MP | | | | | AS4670 | |
| 235 | 370-1327 | | | | Hard Disk Drive,207MB ,50pin | SS2 | 4/75 | | IPX | AS4075 | AS4050 | |
| 236 | 370-1347 | | | | CD-ROM Drive ,644MB,Half-Height | SS670MP | | | | | AS4670 | |
| 237 | 370-1354 | | | | Floppy Disk Drive,Dual Density | SS IPX | 4/50 | | | AS4050 | | |
| 238 | 370-1377 | | | Seagate ST41600N | Hard Disk Drive,1.3GB,ST41600N,976002-012 | SS670MP | | | | | AS4670 | |
| 239 | 370-1388 | | | | CPU,SM100 SPARC Module for 501-1686 or 501-2055 | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 240 | 370-1392 | | | Seagate ST1480N | Hard Disk Drive,424MB,ST1480N ,50pin | SS2 | 4/75 | SSLX/ZX | IPX | AS4075 | AS4050 | |
| 241 | 370-1392 | | | | Hard Disk Drive,424MB,ST1480N ,50pin | SS10 | | | | AS4080 | | |
| 242 | 370-1396 | | | | Board,CoProcessor,Network | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 243 | 370-1415 | | | | Tape Drive,5.0GB,8mm,Full-Height | SS670MP | | | | | AS4670 | |
| 244 | 370-1417 | | | | Hard Disk Drive,207MB,CP30200 | SSLX/ZX | 4/30 | IPX | AS4050 | AS4030 | | |
| 245 | 370-1419 | | | | Floppy Disk drive,Replaced to 370-2151 | SS4 | SS5 | | AS4035 | | AS4017 | |
| 246 | 370-1419 | | | | Floppy Disk Drive,3.5",Triple Density | SSLX/ZX | 4/30 | IPX | AS4050 | AS4030 | | |
| 247 | 370-1420 | | | | Floppy Disk drive 3.5",Triple Density | SS2 | 4/75 | SS1+ | | AS4075 | | |
| 248 | 370-1420 | | | | Floppy Disk Drive,3.5",Triple Density | SS10 | | | | AS4080 | | |
| 249 | 370-1420 | | | | Floppy Disk Drive,3.5",Triple Density | SS10 | SS10SX | | | AS4080 | | |
| 250 | 370-1421 | | | | Board,CoProcessor,Network | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|----------|----------|----------|------------------|---|----------|--------|---------|----------|---------|--------|---------|
| 251 | 370-1542 | | | | Floppy Disk Drive | Voyager | | | | SPARCLT | | |
| 252 | 370-1546 | | | Seagate ST11200N | Hard Disk Drive,1.05GB,ST11200N ,50pin | SS2 | 4/75 | SSLX/ZX | AS4030 | AS4075 | | |
| 253 | 370-1546 | | | | Hard Disk Drive,1.05GB,ST11200N ,50pin | SS10 | | | | AS4080 | | |
| 254 | 370-1670 | | | | Hard Disk drive,340MB | Voyager | | | | SPARCLT | | |
| 255 | 370-1679 | | | | CD-ROM Drive | SS4 | SS5 | | AS4035 | | AS4017 | |
| 256 | 370-1684 | | | Conner CP30540 | Hard Disk Drive,535MB,CP30540 ,50pin | SS2 | 4/75 | SSLX/ZX | AS4030 | AS4075 | | |
| 257 | 370-1684 | | | | Hard Disk Drive,535MB,CP30540 ,50pin | SS10 | | | | AS4080 | | |
| 258 | 370-1704 | | | | Board,Differential Fast/Wide SCSI(DWIS/S),Option 1062 | SS5 | SS10 | SS20 | Ultra1 | Ultra2 | | |
| 259 | 370-1709 | | | Seagate ST12400N | Disk Drive,2.1GB,ST12400N ,50pin | SS2 | 4/75 | | | AS4075 | | |
| 260 | 370-1709 | | | | Hard Disk Drive,2.1GB,ST12400N,50pin | SS10 | | | | AS4080 | | |
| 261 | 370-1710 | | | Seagate ST31200N | Hard Disk Drive,1.05GB,ST31200N ,50pin | SS2 | 4/75 | SSLX/ZX | AS4030 | AS4075 | | |
| 262 | 370-1710 | | | | Hard Disk Drive,1.05GB,ST31200N,50pin | SS10 | | | | AS4080 | | |
| 263 | 370-1732 | | | | Fan,DC Assy,150CFM | 3/470 | | | | AS4670 | | |
| 264 | 370-1843 | | | Seagate ST5660N | Hard Disk Drive,535MB,ST5660N ,50pin | SS2 | 4/75 | SSLX/ZX | AS4030 | AS4075 | | |
| 265 | 370-1843 | | | | Hard Disk Drive,535MB,ST5660N ,50pin | SS10 | | | | AS4080 | | |
| 266 | 370-1929 | | | Conner CFP2105S | Disk Drive,2.1GB,CFP2105S ,50pin | SS2 | 4/75 | | | AS4075 | | |
| 267 | 370-1929 | | | | Hard Disk Drive,2.1GB,CFP2105S,50pin | SS10 | | | | AS4080 | | |
| 268 | 370-1963 | | | Conner CP1080S | Hard Disk Drive,1.05GB,CFP1080S ,50pin | SS2 | 4/75 | SSLX/ZX | AS4030 | AS4075 | | |
| 269 | 370-1963 | | | | Hard Disk Drive,1.05GB,CFP1080S ,50pin | SS10 | | | | AS4080 | | |
| 270 | 370-1982 | | | | Hard Disk Drive,810MB | Voyager | | | | SPARCLT | | |
| 271 | 370-2070 | | | Seagate ST32430N | Disk Drive,2.1GB,ST32430N ,50pin | SS2 | 4/75 | | | AS4075 | | |
| 272 | 370-2070 | | | | Hard Disk Drive,2.1GB,ST32430N,50pin | SS10 | | | | AS4080 | | |
| 273 | 370-2102 | | | | CD-ROM Drive,SUN CD4 | SS20 | | | | AS4085 | | |
| 274 | 370-2151 | | 370-1419 | | Floppy Disk drive | SS4 | SS5 | | AS4035 | | AS4017 | |
| 275 | 370-2302 | | | | Floppy Disk drive | SS20 | | | | AS4085 | | |
| 276 | 370-2795 | | | | Monitor,RHMX NCD Xterminal /No longer Available | | | | | | | |
| 277 | 370-3415 | | | | CD-ROM Drive X32 | | | | | | | |
| 278 | 370-4872 | | | | Power Supply,250W | Blade150 | | | | | | |
| 279 | 375-3354 | | | | Board, 4Gbps FC | | | | | | | |
| 280 | 375-3365 | | | | Board,SCSI U320 | | | | | | | |
| 281 | 501-0526 | | | | Tape Controller,1/4",w/256Kb Multibus Memory | 3/ | | | | | | |
| 282 | 501-1014 | | | | Frame Buffer,Color,Sun-2 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 283 | 501-1045 | | | | Host Adapter,SCSI,Sun-2 VMEbus | | | | | | | |
| 284 | 501-1055 | | | | Graphics processor | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 285 | 501-1092 | | | | Backplane,12-slots,VMEbus | SS670MP | | | AS4670GX | | AS4670 | |
| 286 | 501-1100 | | | | CPU,Sun 3200 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 287 | 501-1102 | | | | Memory,8MB | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 288 | 501-1116 | | | | Frame Buffer,Color,Sun-3 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 289 | 501-1125 | | | | IPC WO/80287,Sun | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 290 | 501-1127 | | | | Backplane,3-slots,VMEbus | | | | | | | |
| 291 | 501-1128 | | | | Backplane,6-slots,VMEbus | | | | | | | |
| 292 | 501-1138 | | | | Host Adapter Assy,SCSI,SUN-2 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 293 | 501-1139 | | | | Graphics processor+ | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 294 | 501-1149 | | | | Host Adapter Assy,SCSI,SUN-2 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 295 | 501-1154 | | | | Disk Controller Assy,SMD,Xylogics 450 VMEbus | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 296 | 501-1155 | | | | Tape Controller Assy,Xylogics 472 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 297 | 501-1156 | | | | Tape Controller Assy,Tapemaster | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 298 | 501-1166 | | | | Disk Controller Assy,SMD,Xylogics 451 VMEbus | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 299 | 501-1167 | | | | Host Adapter Assy,SCSI,Sun-2 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 300 | 501-1170 | | | | Host Adapter Assy,SCSI,SUN-3 | 3/260 | 3/280 | 3/460 | AS3260 | AS3280 | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|----------|----------|--------|---------------|--|----------|---------|---------|----------|--------|--------|---------|
| 301 | 501-1172 | | | | Host Adapter Assy,External SCSI,Sun-3/75 | 3/75 | | | | | | |
| 302 | 501-1206 | | | | CPU,Sun 3200 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 303 | 501-1210 | | | | Frame Buffer,Color,CG4,BNC,Sun-3/60 only | 3/60 | | | | | | |
| 304 | 501-1214 | | | | IPC W/80287,Sun | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 305 | 501-1217 | | | | Host Adapter Assy,SCSI,SUN-3 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 306 | 501-1236 | | | | Host Adapter,SCSI,Sun-3 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 307 | 501-1241 | | | | CPU,Sun 386i/150,w/OMB | 386i/150 | | | | | | |
| 308 | 501-1243 | | | | Frame Buffer,Color,Sun386i,1152x900 | 386i | | | | | | |
| 309 | 501-1244 | | | | Frame Buffer,Monochrome,Sun386i,1152x900 | 386i | | | | | | |
| 310 | 501-1247 | | | | Frame Buffer,ECL,MG3,DB-9 | 3/ | | | | | | |
| 311 | 501-1248 | | | | Frame Buffer,Color,CG4,BNC | 3/ | | | | | | |
| 312 | 501-1249 | | | Xylogics 7053 | Disk Controller,Xylogics 7053 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 313 | 501-1267 | | | | Frame Buffer,Color CG5 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 314 | 501-1268 | | | | Graphics processor2 | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 315 | 501-1286 | | | | Frame Buffer,Color,Sun386i,1024x768 | 386i | | | | | | |
| 316 | 501-1299 | | | | CPU,Sun 3400,w/OMB (absolute) | 3/3400 | | | | | | |
| 317 | 501-1324 | | | | CPU,Sun 386i/250,w/OMB | 386i/250 | | | | | | |
| 318 | 501-1352 | | | | Accelerator,Gxi Graphics,Sun386i | 386i | | | | | | |
| 319 | 501-1354 | | | | Backplane,5-slots,VMEbus | SS630MP | | | | | | |
| 320 | 501-1371 | | | | Frame Buffer,Color,CG8,BNC | | | | | | | |
| 321 | 501-1374 | | | | Frame Buffer,Color,CG6,DB13W3 | | | | | | | |
| 322 | 501-1383 | | | | Accelerator,TAAC-1 Application | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 323 | 501-1397 | | | | VGA/EGA,Sun386i | 386i | | | | | | |
| 324 | 501-1401 | | | | CPU,Sun-3/80,w/4MB | 3/80 | | | | | | |
| 325 | 501-1402 | | | | Frame Buffer,ECL/Analog,MG4,DB-9/DB13W3 | | | | | | | |
| 326 | 501-1419 | | | | Board,MG1 66Hz,ECL | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 327 | 501-1433 | | | | Frame Buffer,Monochrome,Sun386i,1024x768 | 386i | | | | | | |
| 328 | 501-1439 | | | | Backplane,12-slots,VMEbus | SS670MP | | | AS4670GX | | AS4670 | |
| 329 | 501-1443 | | | | Frame Buffer,Color,CG4,BNC,w/Sun-3/80 Backplane | 3/80 | | | | | | |
| 330 | 501-1447 | | | | Accelerator,TAAC-1 Application | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 331 | 501-1455 | | | | Board,MG2 66Hz,Analog | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 332 | 501-1483 | | | | Converter,DC to DC for MG3 | | | | | | | |
| 333 | 501-1498 | | | | Backplane,16-slots,VMEbus | SS690MP | 4/390 | 4/490 | | | AS4690 | |
| 334 | 501-1505 | | | | Frame Buffer,Color,CG6,DB13W3 | | | | | | | |
| 335 | 501-1518 | | | | Frame Buffer,Color,CG8,DB13W3 | | | | | | | |
| 336 | 501-1532 | | | | Frame Buffer,Color,CG6,DB13W3 | 3/470 | | | | | | |
| 337 | 501-1539 | | | | Board,ISP-80 IPI-2 Controller | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 338 | 501-1550 | | | | CPU,Sun 3400,w/OMB | 3/3400 | | | | | | |
| 339 | 501-1561 | | | | Board,MG2 66/76Hz,Analog | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 340 | 501-1567 | | | | Frame Buffer,Monochrome,Sun386i,1152x900 | 386i | | | | | | |
| 341 | 501-1568 | | | | Frame Buffer,Monochrome,Sun386i,1024x768 | 386i | | | | | | |
| 342 | 501-1576 | | | | Memory,16MB | 3/260 | 3/280 | AS3260 | AS3280 | | | |
| 343 | 501-1577 | | | | Frame Buffer,Color,CG8,DB13W3,w/Sun-3/80 Backplane | 3/80 | | | | | | |
| 344 | 501-1597 | | | | Backplane,16-slots,VMEbus | SS690MP | 4/390 | 4/490 | | | AS4690 | |
| 345 | 501-1598 | | | | Backplane,12slot,Pressfit | 3/470 | 4/370 | SS670MP | | AS4670 | | |
| 346 | 501-1598 | | | | Backplane,12-slots,VMEbus | SS670MP | 3/470 | 4/470 | AS4670GX | 4/370 | AS4670 | |
| 347 | 501-1637 | | | | Frame Buffer,ECL,MG3,DB-9,w/Sun-3/80 Backplane | 3/80 | | | | | | |
| 348 | 501-1638 | | | | Board,System w/16MB FCC-A,SIMM 4MBx4 | SS2 | 4/75 | | | AS4075 | | |
| 349 | 501-1650 | | | | CPU,Sun-3/80,w/4MB | 3/80 | | | | | | |
| 350 | 501-1672 | | | | Board,GX CG6 66/76Hz,Color | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|-------------|----------|--------|-----------|--|---------|---------|---------|----------|--------|--------|---------|
| 351 | 501-1686 | | | | Board,System,w/OMB,600MP CPU FRU (no S1MM and CPU) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 352 | 501-1725 | | | | Board,High Speed Serial Interface(HIS/S) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 353 | 501-1732 | | | | Board,FDDI/FDDI/S | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 354 | 501-1733 | | | | Board,System,w/OMB,SS10 CPU model 20 FRU,w/o 36/40MHz MbusModule | SS10 | | | | AS4080 | | |
| 355 | 501-1739 | | | | Memory,S1MM,4MB,16pcs(64MB) require for add on | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 356 | 501-1767 | | | | Memory FRU,600MP,w/64MB(16pcsx4MB Minimum required) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 357 | 501-1780 | | | | Board,System w/16MB S1MM 4x4MB 501-1812-01 | SS IPX | 4/50 | | | AS4050 | | |
| 358 | 501-1785 | | | | Memory,D1MM,16MB | SS10 | SS10SX | | | AS4080 | | |
| 359 | 501-1812-01 | | | | Memory,S1MM ,4MB | SS IPX | 4/50 | | | AS4050 | | |
| 360 | 501-1822-01 | | | | Memory,S1MM ,16MB | SS IPX | 4/50 | | | AS4050 | | |
| 361 | 501-1832 | | | | Backplane,12slot,Pressfit w/DC Harness Cutout | 3/470 | 4/370 | SS670MP | | AS4670 | | |
| 362 | 501-1832 | | | | Backplane,12-slots,VMEbus,w/DC Harness | SS670MP | | | AS4670GX | 4/370 | AS4670 | |
| 363 | 501-1840 | | | | Board,SBus Expansion Adapter | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 364 | 501-1855 | | | | Board,ISP-80 IPI-2 Controller | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 365 | 501-1858 | | | | Board,System w/16MB FCC-B,S1MM 4MBx4 | SS2 | 4/75 | | | AS4075 | | |
| 366 | 501-1869 | | | | Board,SCSI & Buffered Ethernet(SBE/S) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 367 | 501-1889 | | | | Module,SuperSPARC SM30,33MHz,SunOS4.1.3 or Later | SS10 | | | | AS4080 | | |
| 368 | 501-1901 | | | | Memory FRU,600MP,w/OMB(16pcsx4MB Minimum required) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 369 | 501-1902 | | | | Board,Differential SCSI & Ethernet(DSBE/S) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 370 | 501-1910 | | | | Board,Print card | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 371 | 501-1912 | | | | Board,System w/32MB FCC-B,S1MM 4MBx8 | SS2 | 4/75 | | | AS4075 | | |
| 372 | 501-1915-01 | | | | Memory,S1MM ,16MB | SS IPX | 4/50 | | | AS4050 | | |
| 373 | 501-1930 | | | | Memory,D1MM,64MB | SS10 | SS10SX | | | AS4080 | | |
| 374 | 501-1931 | | | | Board,Serial Parallel Controller(SPC/S) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 375 | 501-1932 | | | | Board,4/16MB/S Token Ring Interface(TRI/S) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 376 | 501-1959 | | | | Board,System w/16MB S1MM 4x4MB 501-1812-01 | SS IPX | 4/50 | | | AS4050 | | |
| 377 | 501-1996 | | | | Board,GX CG6 66/76Hz,Color | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 378 | 501-2015 | | | | Board,Fast SCSI & Buffered Ethernet(DSBE/S) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 379 | 501-2055 | | | | Board,System,w/OMB,600MP CPU FRU (no S1MM and CPU) | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 380 | 501-2060 | | | | Memory,S1MM,16MB | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 381 | 501-2218 | | | | Module,SuperSPARC SM20,33MHz,SunOS4.1.3 or Later | SS10 | | | | AS4080 | | |
| 382 | 501-2219 | | | | Module,SuperSPARC SM40,40MHz | SS10 | | | | AS4080 | | |
| 383 | 501-2219-04 | | | | Module,SuperSPARC SM40,40MHz | SS10 | | | | AS4080 | | |
| 384 | 501-2239 | | | | Module,SuperSPARC SM30,36MHz | SS10 | | | | AS4080 | | |
| 385 | 501-2258 | | | | Module,SuperSPARC SM41,40MHz,Option 1161 | SS10 | SS630 | SS670MP | SS690 | AS4080 | AS4670 | |
| 386 | 501-2258 | | | | CPU,SM41 SPARC Module for 501-1686,-2055,w/2.8V2 or Hi BootProm | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 387 | 501-2259 | | | | Board,System,w/OMB,SS10 CPU FRU,w/o 36MHz/40MHz MbusModule | SS10 | | | | AS4080 | | |
| 388 | 501-2269 | | | | Board,I/O | SSLX/ZX | 4/30 | | | AS4030 | | |
| 389 | 501-2270 | | | | CPU,SM41 SPARC Module for 501-1686,-2055,w/2.8V2 or Hi BootProm | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 390 | 501-2273 | | | | Memory,D1MM,16MB | SS10 | SS10SX | | | AS4080 | | |
| 391 | 501-2274 | | | | Board,System,w/OMB,SS10 CPU model 20 FRU,w/o 33/40MHz MbusModule | SS10 | | | | AS4080 | | |
| 392 | 501-2275 | | | | Board,SPARCprinter 20 card | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 393 | 501-2324 | | | | memory | SS20 | | | | | | |
| 394 | 501-2352 | | | | Module,SuperSPARC SM51,50MHz,Option 1163 | SS10 | SS630 | SS670MP | SS690 | AS4080 | AS4670 | |
| 395 | 501-2352 | | | | CPU,SM51 SPARC Module for 501-1686 or 501-2055,w/2,10 BootProm | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 396 | 501-2358 | | | | Module,SuperSPARC SM40,40MHz | SS10 | | | | AS4080 | | |
| 397 | 501-2360 | | | | CPU,SM51 SPARC Module for 501-1686 or 501-2055,w/2,10 BootProm | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 398 | 501-2361 | | | | Module,SuperSPARC SM51,50MHz | SS10 | SS630 | SS670MP | SS690 | AS4080 | AS4670 | |
| 399 | 501-2365 | | | | Board,System,w/OMB,SS10 CPU FRU,w/o 36MHz/40MHz MbusModule | SS10 | | | | AS4080 | | |
| 400 | 501-2377 | | | | Board,System,w/OMB,SS10SX CPU FRU | SS10SX | | | | AS4080 | | |

| No. | New PN | Equiv.PN | Old PN | Model No. | Description | Equip1 | Equip2 | Equip3 | Equip4 | Equip5 | Equip6 | Product |
|-----|-------------|----------|--------|--------------------|---|---------|---------|---------|----------|---------|--------|---------|
| 401 | 501-2431 | | | | Module,SuperSPARC SM52,50MHz | SS10 | | | | AS4080 | | |
| 402 | 501-2444 | | | | CPU,SM520 SPARC Module for 501-1686 or 501-2055,w/2,10 BootProm | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 403 | 501-2445 | | | | CPU,SM521 SPARC Module for 501-1686 or 501-2055,w/2,10 BootProm | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 404 | 501-2460 | | | | Memory,SIMM,4MB,16pcs(64MB) require for add on | SS630MP | SS670MP | SS690MP | AS4670GX | AS4690 | | |
| 405 | 501-2462 | | | | Board,SCSI I/O,Two SCA HDDs to NARROW | SS5 | | | AS4035 | | | |
| 406 | 501-2472 | | | | Board,System ,w/16MB RAM Earlier Rev.CPU 70MHz | SS5 | | | AS4035 | | | |
| 407 | 501-2479 | | | | Memory,DIMM,16MB | SS10 | SS10SX | | | AS4080 | | |
| 408 | 501-2480 | | | | Memory,DIMM,64MB | SS10 | SS10SX | | | AS4080 | | |
| 409 | 501-2508 | | | | Board,System ,w/32MB RAM Earlier Rev.CPU 70MHz | SS5 | | | AS4035 | | | |
| 410 | 501-2520 | | | | CPU,SM71,75MHz,SuperSPARC II Module,Option 1175 | SS10 | SS20 | | | | | X1175A |
| 411 | 501-2570 | | | | Module,SuperSPARC SM40,40MHz | SS10 | SS10SX | | | AS4080 | | |
| 412 | 501-2574 | | | | Board,System ,w/32MB RAM 2.3/2.5 Rev.CPU 85MHz | SS5 | | | AS4035 | | | |
| 413 | 501-2581 | | | | Board,System,w/16MB,Voyager CPU | Voyager | | | | SPARCLT | | |
| 414 | 501-2609-01 | | | | Module,SuperSPARC SM51,50MHz | SS10 | SS10SX | | | AS4080 | | |
| 415 | 501-2609-02 | | | | Module,SuperSPARC SM52X,50MHz | SS10 | SS10SX | | | AS4080 | | |
| 416 | 501-2683 | | | | Board,I/O | Voyager | | | | SPARCLT | | |
| 417 | 501-2685 | | | | Board,System,w/16MB,Voyager CPU | Voyager | | | | SPARCLT | | |
| 418 | 501-2774 | | | | Board,System,w/OMB,SS10 CPU FRU,w/o 36MHz/40MHz MbusModule | SS10 | | | | AS4080 | | |
| 419 | 501-2779 | | | | Board,System ,w/32MB RAM 110MHz | SS5 | | | AS4035 | | | |
| 420 | 501-2802 | | | | Board,System ,w/16MB RAM Later Rev.CPU 70MHz | SS5 | | | AS4035 | | | |
| 421 | 501-2803 | | | | Board,System ,w/32MB RAM 3.x Rev.CPU 85MHz | SS5 | | | AS4035 | | | |
| 422 | 501-2811 | | | | Board,System ,w/32MB RAM Later Rev.CPU 70MHz | SS5 | | | AS4035 | | | |
| 423 | 501-2816 | | | | Board,System ,w/32MB RAM 2.6 Rev.CPU 85MHz | SS5 | | | AS4035 | | | |
| 424 | 501-2904 | | | | CPU,SM71,75MHz,SuperSPARC II Module,Option 1175 | SS10 | SS20 | | | | | |
| 425 | 501-2925 | | | | CPU,SM71,75MHz,SuperSPARC II Module,Option 1175 | SS10 | SS20 | | | | | |
| 426 | 501-2940 | | | | CPU,SM71,75MHz,SuperSPARC II Module,Option 1175 | SS10 | SS20 | | | | | |
| 427 | 501-3001 | | | | CPU,SM71,75MHz,SuperSPARC II Module,Option 1175 | SS10 | SS20 | | | | | |
| 428 | 501-3103 | | | | Board,System ,w/32MB RAM 170MHz | SS5 | | | AS4035 | | | |
| 429 | 501-4130 | | | | CPU,SM71,75MHz,SuperSPARC II Module,Option 1175 | SS10 | SS20 | | | | | |
| 430 | 501-4450 | | | | Board,System | Ultra60 | | | | | | |
| 431 | 501-5468 | | | | Board,Floppy Interface | SS4 | | | AS4035 | | AS4017 | |
| 432 | 501-5606 | | | | Board,System | Ultra60 | | | | | | |
| 433 | 530-1482 | | | | Fan,w/Tray Assy and DC Harness for Fan 540-1732 | 3/470 | | | | AS4670 | | |
| 434 | 540-1005 | | | | Monitor,19" monochrome , 1152 x 901, D9 | | | | | | | |
| 435 | 540-1029 | | | | Monitor,19" monochrome , 1152 x 901, D9 | | | | | | | |
| 436 | 540-1062 | | | Philips M19P114A | Monitor,19" monochrome , 1152 x 901, D9, 115V | | | | | | | |
| 437 | 540-1094 | | | Hitachi | Monitor,19" color , 4 BNC, 115V | | | | | | | |
| 438 | 540-1240 | | | Moniterm VR1000L20 | Monitor,19" High-Res , mono , 1152 x 900, D9, 115V | | | | | | | |
| 439 | 540-1343 | | | | Monitor19" grayscale , 2 BNC, 115V | | | | | | | |
| 440 | 540-1357 | | | | Monitor,19" mono , D9, 115V, Philips | | | | | | | |
| 441 | 540-1358 | | | | Monitor,19" mono , D9, 115V, Philips | | | | | | | |
| 442 | 540-1427 | | | Motorola | Monitor,19" mono , 1600 x 1280, D9, 115V | | | | | | | |
| 443 | 540-1514 | | | | Monitor,19" grayscale , 1152 x 900, 2 BNC | | | | | | | |
| 444 | 540-1533 | | | Philips | Monitor,19" monochrome | | | | | | | |
| 445 | 540-1562 | | | | Monitor,19" monochrome , 240V | | | | | | | |
| 446 | 540-1565 | | | | Monitor,19" monochrome , 240V | | | | | | | |
| 447 | 540-1567 | | | | Monitor,19" greyscale | | | | | | | |
| 448 | 540-1571 | | | | Monitor,19" High-Resolution , 240V | | | | | | | |
| 449 | 540-1719 | | | | Blower Assy,w/540-1840 2 Blowers,Capacitor,Cable | SS690MP | | | | AS4690 | | |
| 450 | 540-1751 | | | | Fan,w/Tray Assy,9 Fans | 3/470 | | | | AS4670 | | |

